

MEA MULTINORM Light wells



The standard -
proven
a million times





Light well 125 x 100, with riser frame, depth 60 cm

MEA MULTINORM – Proven and safe

The standard for many years for easy installation in new builds and renovations in the commercial and private sector: MEA MULTINORM light wells make for brighter cellars. Available in various designs for diverse applications and in depths of 40 cm, 60 cm and 70 cm.

Wherever there is a desire for flexibility, we recommend our MEAMAX light well system, the first variable light well system on the market.

MEAMAX offers innovative detailed solutions for maximum freedom in planning and use.

Light wells

Nominal size W ¹ x H x D in cm	Drill sizes in cm			Versions		
	B1	H1	H2	Standard	Reinforced ²	Watertight
80 x 60 x 40	92,0	10,4	38,8	•		
80 x 100 x 40	92,0	15,4	63,8	•		
100 x 60 x 40	110,0	10,7	38,8	•		
100 x 80 x 40	110,0	9,0	50,0	•	•	
100 x 100 x 40	110,0	15,4	63,8			•
	110,2/108,8 ³	20,0	65,0	•	•	
100 x 130 x 40	115,0	15,5	79,0			•
	110,2/108,8 ³	20,0	95,0	•	•	
125 x 100 x 40	140,0	15,7	63,8	•	•	•
100 x 100 x 60	110,0	15,4	63,8	•	•	•
125 x 100 x 60	140,0	15,7	63,8	•	•	
150 x 120 x 60	165,0	15,7	78,8	•		
200 x 100 x 70	210,2	17,5	20,0/32,5 ⁴	•		
200 x 150 x 70	210,2	17,5	40,0/57,0 ⁴	•		

¹ Light well width quoted also corresponds to matching window width

² Also supports vehicle loads with suitable light well gratings.

³ With this shape of light well, B1 is different for the top & bottom drilled holes

⁴ Large light wells have three attachment points per side. Second figure is the distance between the second and third attachment point.



Light well 100 x 100, depth 40 cm, standard



MEA MULTINORM – Sizes and versions at a glance

Quality from the market leader

MEA MULTINORM combines functionality, load-bearing capability and value retention. The light well body in white reinforced fibreglass polyesther is resistant to weathering and hazardous substances. Our certified quality management system ensures consistent product quality.

An all-rounder in every version

MEA MULTINORM is available in three versions and in various sizes. There is also a choice of three standard grating covers and various riser frames to match specific heights.

MEA MULTINORM is rounded off by the MULTINORM ventilation shaft and a wide range of accessories.



Riser frames to suit various heights


Size W x H x D in cm	Drill sizes in cm			Versions		Suitable for light wells W x D in cm
	B1	H1	H2	Standard	Reinforced ²	
80 x 35 x 40	92	5,2	26	•		80 x 40
100 x 35 x 40	110	5,5	26	•	•	100 x 40
125 x 35 x 40	140	5,5	26	•	•	125 x 40
100 x 35 x 60	110	6,0	26	•	•	100 x 60
125 x 35 x 60	140	5,5	26	•	•	125 x 60
150 x 35 x 60	165	5,5	26	•		150 x 60

² Also supports vehicle loads with suitable light well gratings.

Use reinforced light wells and riser frames, where more than one riser frame is used per light well. A maximum of three riser frames per light well may be installed. If a riser frame is being used to support vehicle load, it must be screwed to the light well and covered by a reinforced grating.

The light well will support vehicle loads up to 900kg wheel pressure if it is back-filled with homogenous material compacted in layers.





We have the solution!

Throughout Europe, ME A Building Products is a leading supplier of light wells, window frame systems, windows, steel cellar windows, foot scrapers and drainage systems.

Our innovative systems, personal service and on-time deliveries provide support to architects and planners, building material merchants and fabricators. We are your partner - a partner who sees the big picture.

Germany:

ME A Bausysteme GmbH

Sudetenstraße 1

86551 Aichach

Germany

Tel: +49 (0) 82 51 .91 10 00

Fax: +49 (0) 82 51 .91 10 10

Austria/Switzerland:

ME A Bausysteme Ges.m.b.H.

Handelsstraße 6

5162 Obertrum/See

Austria

Tel: +43 (0) 62 19.2 04 22

Fax: +43 (0) 62 19.2 04 22-10

info@mea-bausysteme.com

www.mea-bausysteme.com

Your partner for ME A Building Products

SMART



MATERIALS

smartbm@smartbm.ro www.smartbm.ro 0734399266